

Sprayer specialty manufacturer that has manufactured
only sprayer for 30 years

The Best Quality Sprayer

Hanil SP Co., Ltd.



▶▶ Company Profile

How are you? Hanil SP Co., Ltd. is a sprayer specialty company that has produced only sprayer for over 30 years since 1981. We modernized all assembly processes and set up the production method of stainless sprayer and plastic sprayer with ONE-LINE SYSTEM for the mass production. In particular, we introduced Blow Molding Machine for the plastic sprayer for the first time in the industry to diversify design and capacity. Recently, we are incessantly researching and developing for the production of advanced sprayer, producing sprayer with an injection molding machine to reinforce the durability. Our executives and staff at Hanil SP Co., Ltd. will endeavor more and more for the scientific farming to grow further in the rapid changing future. Thank you.

▶▶ History

1981-1999

- Established Hanil metals Co., Ltd. Moonchang-dong, Joong-gu, Daejeon in 1981
- Changed the company name to Hanil faming tools Co., Ltd. and moved to Nangwol-dong, Dong-gu, Daejeon in 1992
- Started the production of compressed plastic knapsack-type sprayer in 1993 for the first time in Korea
- Started the production of stainless knapsack-type sprayer in 1994

2000-2012

- Established Hanil SP Co., Ltd. in 2002
- Obtained ISO (Quality Management System certification) 9001 in 2003
- Launched the production of injection molding plastic knapsack-type sprayer in 2004
- Expanded Geumsan factory in 2007
- Developed and produced lithium-ion rechargeable sprayer in 2009
- Expanded and moved Geumsan factory in 2011



▶▶ Products



HP-0401

MODEL	Q-20
Box Size(mm) L*W*H	435*225*590
Net Weight	4.01 kg
Tank capacity(Liter)	20 L
Working Pressure(kg/cm ²)	4.2 kg/cm ²
Spraying Capacity / min	1.7 L

Using the highest grade stainless steel and high-quality plastic that never corroded by any kind of insecticides and herbicides.

HP-0903

MODEL	Rapid
Box Size(mm) L*W*H	425*215*595
Net Weight	3.7 kg
Tank capacity(Liter)	20 L
Working Pressure(kg/cm ²)	4.2 kg/cm ²
Spraying Capacity / min	1.7 L



All parts are easy to disassemble and assemble without a particular tool.



HP-0611

MODEL	Q-12
Box Size(mm) L*W*H	385*190*595
Net Weight	3.12 kg
Tank capacity(Liter)	12 L
Working Pressure(kg/cm ²)	4.2 kg/cm ²
Spraying Capacity / min	1.7 L

HS-310

MODEL	ST(B)
Body	SUS 304
Box Size(mm) L*W*H	415*195*595
Net Weight	3.78 kg
Tank capacity(Liter)	17 L
Working Pressure(kg/cm ²)	4.2 kg/cm ²
Spraying Capacity / min	1.7 L



The corrosion resistance and durability of abrasion are superior by using 27th kind of stainless steel. All parts are to be disassemble and assemble simply without special tool.



HS-320

MODEL	ST(A)
Body	SUS 304
Box Size(mm) L*W*H	415*195*595
Net Weight	4.16 kg
Tank capacity(Liter)	17 L
Working Pressure(kg/cm ²)	4.2 kg/cm ²
Spraying Capacity / min	1.7 L



HP-3800

MODEL	STORM
Box Size(mm) L*W*H	650*510*315 (20ea)
Net Weight	0.48 kg
Tank capacity(Liter)	1.8 L
Working Pressure(kg/cm ²)	2.5 kg/cm ²

HP-2800

MODEL	A-TOM
Box Size(mm) L*W*H	600*400*420 (20ea)
Net Weight	0.56 kg
Tank capacity(Liter)	1.0L
Working Pressure(kg/cm ²)	2.5 kg/cm ²



HP-0701



HP-0702

HP-0702 / HP-0701

MODEL	HP - 0702	HP - 0701
Box Size(mm) L*W*H	195*195*460 (6ea)	195*195*460 (6ea)
Net Weight	1.62 kg	1.74 kg
Tank capacity(Liter)	4.0 L	6.0 L
Working Pressure(kg/cm ²)	3.0 kg/cm ²	3.0 kg/cm ²

▶▶ Lithium-ion Battery Charging Sprayer



Product name		HP-2012 (Mil-40)	
Product voltage		DC12V	
Capacity		40L	
Length of Hose		50M(Basic)	
Voltage of Battery		11.1V / 5200mA	
Pressure		80 PSI (5.6 kg/cm ²)	
Box dimension		620*380*880	

Spraying amount(when using 2 holes)	Continuous working hours	When spraying one 40L basket continuously	Chargeable hours
	3 hours	25 minutes	4 hours

※ Actual use time can be different more or less due to continuous work.

HP-2014

MODEL		Mil-20	
Capacity		20L	
Battery output		11.1V / 5200mA	
Using time		3 hours	
Pump operating type		Diaphragm	
Pressure		80 PSI (5.6 kg/cm ²)	
Box Size(mm) L*W*H		520*365*855	



HP-2013

MODEL		E-Pyeonan	
Capacity		20L	
Battery output		11.1V / 5200mA	
Using time		3 hours	
Pump operating type		Diaphragm	
Pressure		80 PSI (5.6 kg/cm ²)	
Box Size(mm) L*W*H		380*280*660	



※ Actual use time can be different more or less due to continuous work..

HP-2010



Packing for preventing leak



Inside filtering net for preventing clogging



Lithium-ion battery



Strong spraying power



External Voltage Display

HP-2011



Capacity	20L	
Battery type	Lithium-ion battery	
Battery output	11.1V / 5200mA	
Net weight	4.2 kg	
Using time	3 hours	
Discharge capacity / min	2-head	1.5L
	1-head	0.9L
Electric voltage	AC220V / 60Hz	
Pump operating type	Diaphragm	
Pressure	80 PSI (5.6 kg/cm ²)	
Box Size(mm) L*W*H	355*260*565	



HH-050

MODEL	HH-050
Hose Length	50 m
Hose Size(mm)	Water Hose 13mm
Net weight	11.6 kg
Box Size(mm) L*W*H	480 * 475 * 575

HH-080

MODEL	HH-080
Hose Length	80 m
Hose Size(mm)	Water Hose 13mm
High Pressure Sprayer Hose	8.5mm * 150m
	10mm * 100m





HH-120

MODEL	HH-120
Hose Length	120 m
Hose Size(mm)	Water Hose 13mm
High Pressure Sprayer Hose	8.5mm * 2000m 10mm * 150m

Reel(or wind) simply and arrange cleanly



HH-030


MODEL	HH-030
Hose Length	30 m
Hose Size(mm)	Water Hose 13mm
Net weight	5.65 kg
Box Size(mm) L*W*H	365 * 320 * 365


It is strong to the shock and has a small wear rate due to the use of CO.P.P raw material, and doesn't change even if used for a long time. It is rotated well softly and it is not so difficult to reel in or reel out the hose.



HH-020

MODEL	HH-020
Hose Length	20 m
Hose Size(mm)	Water Hose 13mm
Net weight	4.2 kg
Box Size(mm) L*W*H	365 * 250 * 365





**21, Sinpyeonggongdan 1-ro, Chubumyeon, Geumsan-gun,
Chungcheongnam-do, Korea (32710)**

Tel +82-41-754-0720~1 / Fax +82-41-751-0710
E-mail : hanilspray@hanmail.net
Homepage : <http://www.hanilspray.co.kr>

